


Configurazione

In TABELLA => CENTRALINO impostare i seguenti campi

The image shows a web-based configuration form for a system named 'centralino'. The form has a title bar with a hamburger menu icon, a save icon, and a close icon. Below the title bar, there are several input fields: 'Codice' (with a blue bar), 'Descrizione' (with the value 'Yeastar'), 'Predefinito' (checkbox), 'Disabilitato' (checkbox), 'baseUrl' (with a blue bar), 'clientId' (with a blue bar), and 'clientSecret' (with a blue bar). The form is styled with a light gray background and blue accents.

- CODICE: inserire il serial number del centralino
 - per YEASTAR si trovano in alto sotto il menu INFORMAZIONI
- baseUrl: inserire l'url per raggiungere il centralino attraverso le chiamate API
- clientId:
 - per YEASTAR si trova in INTEGRAZIONE => API
- clientSecret:
 - per YEASTAR si trova in INTEGRAZIONE => API

Una volta così configurato, il webhook attivo su yeastar darà vita al registro chiamate e sarà possibile in futuro ricevere le chiamate di creazione ticket, e dalla rubrica si potranno far partire le chiamate.

Revisione #2

Creato 2026-05-29 15:33:13 UTC da Admin

Aggiornato 2026-05-29 15:38:51 UTC da Admin